

$\Delta(1905) F_{35}$

$$I(J^P) = \frac{3}{2}(\frac{5}{2}^+) \text{ Status: } ****$$

Most of the results published before 1975 were last included in our 1982 edition, Physics Letters **111B** 1 (1982). Some further obsolete results published before 1980 were last included in our 2006 edition, Journal of Physics, G **33** 1 (2006).

$\Delta(1905)$ BREIT-WIGNER MASS

VALUE (MeV)	DOCUMENT ID	TECN	COMMENT
1865 to 1915 (≈ 1890) OUR ESTIMATE			
1857.8 \pm 1.6	ARNDT	06	DPWA $\pi N \rightarrow \pi N, \eta N$
1881 \pm 18	MANLEY	92	IPWA $\pi N \rightarrow \pi N \ \& \ N\pi\pi$
1910 \pm 30	CUTKOSKY	80	IPWA $\pi N \rightarrow \pi N$
1905 \pm 20	HOEHLER	79	IPWA $\pi N \rightarrow \pi N$
● ● ● We do not use the following data for averages, fits, limits, etc. ● ● ●			
1855.7 \pm 4.2	ARNDT	04	DPWA $\pi N \rightarrow \pi N, \eta N$
1873 \pm 77	VRANA	00	DPWA Multichannel
1895 \pm 8	ARNDT	96	IPWA $\gamma N \rightarrow \pi N$
1850	ARNDT	95	DPWA $\pi N \rightarrow N\pi$
1960 \pm 40	CANDLIN	84	DPWA $\pi^+ p \rightarrow \Sigma^+ K^+$
1787.0 ⁺ 6.0 - 5.7	CHEW	80	BPWA $\pi^+ p \rightarrow \pi^+ p$
1880	CRAWFORD	80	DPWA $\gamma N \rightarrow \pi N$
1830	¹ LONGACRE	75	IPWA $\pi N \rightarrow N\pi\pi$

$\Delta(1905)$ BREIT-WIGNER WIDTH

VALUE (MeV)	DOCUMENT ID	TECN	COMMENT
270 to 400 (≈ 330) OUR ESTIMATE			
320.6 \pm 8.6	ARNDT	06	DPWA $\pi N \rightarrow \pi N, \eta N$
327 \pm 51	MANLEY	92	IPWA $\pi N \rightarrow \pi N \ \& \ N\pi\pi$
400 \pm 100	CUTKOSKY	80	IPWA $\pi N \rightarrow \pi N$
260 \pm 20	HOEHLER	79	IPWA $\pi N \rightarrow \pi N$
● ● ● We do not use the following data for averages, fits, limits, etc. ● ● ●			
334 \pm 22	ARNDT	04	DPWA $\pi N \rightarrow \pi N, \eta N$
461 \pm 111	VRANA	00	DPWA Multichannel
354 \pm 10	ARNDT	96	IPWA $\gamma N \rightarrow \pi N$
294	ARNDT	95	DPWA $\pi N \rightarrow N\pi$
270 \pm 40	CANDLIN	84	DPWA $\pi^+ p \rightarrow \Sigma^+ K^+$
66.0 ⁺ 24.0 - 16.0	CHEW	80	BPWA $\pi^+ p \rightarrow \pi^+ p$
193	CRAWFORD	80	DPWA $\gamma N \rightarrow \pi N$
220	¹ LONGACRE	75	IPWA $\pi N \rightarrow N\pi\pi$

$\Delta(1905)$ POLE POSITION

REAL PART

VALUE (MeV)	DOCUMENT ID	TECN	COMMENT
1825 to 1835 (\approx 1830) OUR ESTIMATE			
1819	ARNDT	06	DPWA $\pi N \rightarrow \pi N, \eta N$
1829	² HOEHLER	93	SPED $\pi N \rightarrow \pi N$
1830 \pm 40	CUTKOSKY	80	IPWA $\pi N \rightarrow \pi N$
● ● ● We do not use the following data for averages, fits, limits, etc. ● ● ●			
1825	ARNDT	04	DPWA $\pi N \rightarrow \pi N, \eta N$
1793	VRANA	00	DPWA Multichannel
1832	ARNDT	95	DPWA $\pi N \rightarrow N\pi$
1794	ARNDT	91	DPWA $\pi N \rightarrow \pi N$ Soln SM90
1813 or 1808	³ LONGACRE	78	IPWA $\pi N \rightarrow N\pi\pi$

–2xIMAGINARY PART

VALUE (MeV)	DOCUMENT ID	TECN	COMMENT
265 to 300 (\approx 280) OUR ESTIMATE			
247	ARNDT	06	DPWA $\pi N \rightarrow \pi N, \eta N$
303	² HOEHLER	93	SPED $\pi N \rightarrow \pi N$
280 \pm 60	CUTKOSKY	80	IPWA $\pi N \rightarrow \pi N$
● ● ● We do not use the following data for averages, fits, limits, etc. ● ● ●			
270	ARNDT	04	DPWA $\pi N \rightarrow \pi N, \eta N$
302	VRANA	00	DPWA Multichannel
254	ARNDT	95	DPWA $\pi N \rightarrow N\pi$
230	ARNDT	91	DPWA $\pi N \rightarrow \pi N$ Soln SM90
193 or 187	³ LONGACRE	78	IPWA $\pi N \rightarrow N\pi\pi$

$\Delta(1905)$ ELASTIC POLE RESIDUE

MODULUS $|r|$

VALUE (MeV)	DOCUMENT ID	TECN	COMMENT
15	ARNDT	06	DPWA $\pi N \rightarrow \pi N, \eta N$
25	HOEHLER	93	SPED $\pi N \rightarrow \pi N$
25 \pm 8	CUTKOSKY	80	IPWA $\pi N \rightarrow \pi N$
● ● ● We do not use the following data for averages, fits, limits, etc. ● ● ●			
16	ARNDT	04	DPWA $\pi N \rightarrow \pi N, \eta N$
12	ARNDT	95	DPWA $\pi N \rightarrow N\pi$
14	ARNDT	91	DPWA $\pi N \rightarrow \pi N$ Soln SM90

PHASE θ

VALUE ($^\circ$)	DOCUMENT ID	TECN	COMMENT
–30	ARNDT	06	DPWA $\pi N \rightarrow \pi N, \eta N$
–50 \pm 20	CUTKOSKY	80	IPWA $\pi N \rightarrow \pi N$
● ● ● We do not use the following data for averages, fits, limits, etc. ● ● ●			
–25	ARNDT	04	DPWA $\pi N \rightarrow \pi N, \eta N$
–4	ARNDT	95	DPWA $\pi N \rightarrow N\pi$
–40	ARNDT	91	DPWA $\pi N \rightarrow \pi N$ Soln SM90

$\Delta(1905)$ DECAY MODES

The following branching fractions are our estimates, not fits or averages.

Mode	Fraction (Γ_i/Γ)
Γ_1 $N\pi$	0.09 to 0.15
Γ_2 ΣK	
Γ_3 $N\pi\pi$	85–95 %
Γ_4 $\Delta\pi$	<25 %
Γ_5 $\Delta(1232)\pi$, <i>P</i> -wave	
Γ_6 $\Delta(1232)\pi$, <i>F</i> -wave	
Γ_7 $N\rho$	>60 %
Γ_8 $N\rho$, $S=3/2$, <i>P</i> -wave	
Γ_9 $N\rho$, $S=3/2$, <i>F</i> -wave	
Γ_{10} $N\rho$, $S=1/2$, <i>F</i> -wave	
Γ_{11} $N\gamma$	0.01–0.03 %
Γ_{12} $N\gamma$, helicity=1/2	0.0–0.1 %
Γ_{13} $N\gamma$, helicity=3/2	0.004–0.03 %

$\Delta(1905)$ BRANCHING RATIOS

$\Gamma(N\pi)/\Gamma_{\text{total}}$	Γ_1/Γ
<u>VALUE</u>	<u>DOCUMENT ID</u> <u>TECN</u> <u>COMMENT</u>
0.09 to 0.15 OUR ESTIMATE	
0.122±0.001	ARNDT 06 DPWA $\pi N \rightarrow \pi N, \eta N$
0.12 ±0.03	MANLEY 92 IPWA $\pi N \rightarrow \pi N \ \& \ N\pi\pi$
0.08 ±0.03	CUTKOSKY 80 IPWA $\pi N \rightarrow \pi N$
0.15 ±0.02	HOEHLER 79 IPWA $\pi N \rightarrow \pi N$
● ● ● We do not use the following data for averages, fits, limits, etc. ● ● ●	
0.120±0.002	ARNDT 04 DPWA $\pi N \rightarrow \pi N, \eta N$
0.09 ±0.01	VRANA 00 DPWA Multichannel
0.12	ARNDT 95 DPWA $\pi N \rightarrow N\pi$
0.11	CHEW 80 BPWA $\pi^+ p \rightarrow \pi^+ p$

$(\Gamma_i\Gamma_f)^{1/2}/\Gamma_{\text{total}}$ in $N\pi \rightarrow \Delta(1905) \rightarrow \Sigma K$	$(\Gamma_1\Gamma_2)^{1/2}/\Gamma$
<u>VALUE</u>	<u>DOCUMENT ID</u> <u>TECN</u> <u>COMMENT</u>
−0.015±0.003	CANDLIN 84 DPWA $\pi^+ p \rightarrow \Sigma^+ K^+$

Note: Signs of couplings from $\pi N \rightarrow N\pi\pi$ analyses were changed in the 1986 edition to agree with the baryon-first convention; the overall phase ambiguity is resolved by choosing a negative sign for the $\Delta(1620)$ S_{31} coupling to $\Delta(1232)\pi$.

$(\Gamma_i\Gamma_f)^{1/2}/\Gamma_{\text{total}}$ in $N\pi \rightarrow \Delta(1905) \rightarrow \Delta(1232)\pi$, <i>P</i> -wave	$(\Gamma_1\Gamma_5)^{1/2}/\Gamma$
<u>VALUE</u>	<u>DOCUMENT ID</u> <u>TECN</u> <u>COMMENT</u>
−0.04±0.05	MANLEY 92 IPWA $\pi N \rightarrow \pi N \ \& \ N\pi\pi$

$\Gamma(\Delta(1232)\pi, P\text{-wave})/\Gamma_{\text{total}}$ Γ_5/Γ

VALUE	DOCUMENT ID	TECN	COMMENT
0.23 ± 0.01	VRANA	00	DPWA Multichannel

$(\Gamma_i \Gamma_f)^{1/2}/\Gamma_{\text{total}}$ in $N\pi \rightarrow \Delta(1905) \rightarrow \Delta(1232)\pi, F\text{-wave}$ $(\Gamma_1 \Gamma_6)^{1/2}/\Gamma$

VALUE	DOCUMENT ID	TECN	COMMENT
$+0.02 \pm 0.03$	MANLEY	92	IPWA $\pi N \rightarrow \pi N$ & $N\pi\pi$
$+0.20$	¹ LONGACRE	75	IPWA $\pi N \rightarrow N\pi\pi$

$\Gamma(\Delta(1232)\pi, F\text{-wave})/\Gamma_{\text{total}}$ Γ_6/Γ

VALUE	DOCUMENT ID	TECN	COMMENT
0.44 ± 0.01	VRANA	00	DPWA Multichannel

$(\Gamma_i \Gamma_f)^{1/2}/\Gamma_{\text{total}}$ in $N\pi \rightarrow \Delta(1905) \rightarrow N\rho, S=3/2, P\text{-wave}$ $(\Gamma_1 \Gamma_8)^{1/2}/\Gamma$

VALUE	DOCUMENT ID	TECN	COMMENT
+0.030 to +0.36 OUR ESTIMATE			
$+0.33 \pm 0.03$	MANLEY	92	IPWA $\pi N \rightarrow \pi N$ & $N\pi\pi$
$+0.33$	¹ LONGACRE	75	IPWA $\pi N \rightarrow N\pi\pi$

$\Gamma(N\rho, S=3/2, P\text{-wave})/\Gamma_{\text{total}}$ Γ_8/Γ

VALUE	DOCUMENT ID	TECN	COMMENT
0.24 ± 0.01	VRANA	00	DPWA Multichannel

$\Delta(1905)$ PHOTON DECAY AMPLITUDES

$\Delta(1905) \rightarrow N\gamma, \text{helicity-1/2 amplitude } A_{1/2}$

VALUE ($\text{GeV}^{-1/2}$)	DOCUMENT ID	TECN	COMMENT
+0.026 ± 0.011 OUR ESTIMATE			
0.022 ± 0.005	ARNDT	96	IPWA $\gamma N \rightarrow \pi N$
0.021 ± 0.010	CRAWFORD	83	IPWA $\gamma N \rightarrow \pi N$
0.043 ± 0.020	AWAJI	81	DPWA $\gamma N \rightarrow \pi N$
0.022 ± 0.010	ARAI	80	DPWA $\gamma N \rightarrow \pi N$ (fit 1)
0.031 ± 0.009	ARAI	80	DPWA $\gamma N \rightarrow \pi N$ (fit 2)
0.024 ± 0.014	CRAWFORD	80	DPWA $\gamma N \rightarrow \pi N$
• • • We do not use the following data for averages, fits, limits, etc. • • •			
0.055 ± 0.004	LI	93	IPWA $\gamma N \rightarrow \pi N$

$\Delta(1905) \rightarrow N\gamma, \text{helicity-3/2 amplitude } A_{3/2}$

VALUE ($\text{GeV}^{-1/2}$)	DOCUMENT ID	TECN	COMMENT
-0.045 ± 0.020 OUR ESTIMATE			
-0.045 ± 0.005	ARNDT	96	IPWA $\gamma N \rightarrow \pi N$
-0.056 ± 0.028	CRAWFORD	83	IPWA $\gamma N \rightarrow \pi N$
-0.025 ± 0.023	AWAJI	81	DPWA $\gamma N \rightarrow \pi N$
-0.029 ± 0.007	ARAI	80	DPWA $\gamma N \rightarrow \pi N$ (fit 1)
-0.045 ± 0.006	ARAI	80	DPWA $\gamma N \rightarrow \pi N$ (fit 2)
-0.072 ± 0.035	CRAWFORD	80	DPWA $\gamma N \rightarrow \pi N$
• • • We do not use the following data for averages, fits, limits, etc. • • •			
0.002 ± 0.003	LI	93	IPWA $\gamma N \rightarrow \pi N$

$\Delta(1905)$ FOOTNOTES

- ¹ From method II of LONGACRE 75: eyeball fits with Breit-Wigner circles to the T-matrix amplitudes.
- ² See HOEHLER 93 for a detailed discussion of the evidence for and the pole parameters of N and Δ resonances as determined from Argand diagrams of πN elastic partial-wave amplitudes and from plots of the speeds with which the amplitudes traverse the diagrams.
- ³ LONGACRE 78 values are from a search for poles in the unitarized T-matrix. The first (second) value uses, in addition to $\pi N \rightarrow N\pi\pi$ data, elastic amplitudes from a Saclay (CERN) partial-wave analysis.

$\Delta(1905)$ REFERENCES

For early references, see Physics Letters **111B** 1 (1982).

ARNDT	06	PR C74 045205	R.A. Arndt <i>et al.</i>	(GWU)
PDG	06	JPG 33 1	W.-M. Yao <i>et al.</i>	(PDG Collab.)
ARNDT	04	PR C69 035213	R.A. Arndt <i>et al.</i>	(GWU, TRIU)
VRANA	00	PRPL 328 181	T.P. Vrana, S.A. Dytman,, T.-S.H. Lee	(PITT+)
ARNDT	96	PR C53 430	R.A. Arndt, I.I. Strakovsky, R.L. Workman	(VPI)
ARNDT	95	PR C52 2120	R.A. Arndt <i>et al.</i>	(VPI, BRGO)
HOEHLER	93	πN Newsletter 9 1	G. Hohler	(KARL)
LI	93	PR C47 2759	Z.J. Li <i>et al.</i>	(VPI)
MANLEY	92	PR D45 4002	D.M. Manley, E.M. Saleski	(KENT) IJP
Also		PR D30 904	D.M. Manley <i>et al.</i>	(VPI)
ARNDT	91	PR D43 2131	R.A. Arndt <i>et al.</i>	(VPI, TELE) IJP
CANDLIN	84	NP B238 477	D.J. Candlin <i>et al.</i>	(EDIN, RAL, LOWC)
CRAWFORD	83	NP B211 1	R.L. Crawford, W.T. Morton	(GLAS)
PDG	82	PL 111B 1	M. Roos <i>et al.</i>	(HELSE, CIT, CERN)
AWAJI	81	Bonn Conf. 352	N. Awaji, R. Kajikawa	(NAGO)
Also		NP B197 365	K. Fujii <i>et al.</i>	(NAGO)
ARAI	80	Toronto Conf. 93	I. Arai	(INUS)
Also		NP B194 251	I. Arai, H. Fujii	(INUS)
CHEW	80	Toronto Conf. 123	D.M. Chew	(LBL) IJP
CRAWFORD	80	Toronto Conf. 107	R.L. Crawford	(GLAS)
CUTKOSKY	80	Toronto Conf. 19	R.E. Cutkosky <i>et al.</i>	(CMU, LBL) IJP
Also		PR D20 2839	R.E. Cutkosky <i>et al.</i>	(CMU, LBL) IJP
HOEHLER	79	PDAT 12-1	G. Hohler <i>et al.</i>	(KARLT) IJP
Also		Toronto Conf. 3	R. Koch	(KARLT) IJP
LONGACRE	78	PR D17 1795	R.S. Longacre <i>et al.</i>	(LBL, SLAC)
LONGACRE	75	PL 55B 415	R.S. Longacre <i>et al.</i>	(LBL, SLAC) IJP